



**premier source for  
intelligent lecterns**

**rich media platforms**



# ILS SpeakersCorner lectern family is designed to last a lifetime.



Basic ILS24, white coated

ILS delivers remarkable open architecture lecterns or e-podiums in thick aluminum to fit your needs:

- interactive lecturing and training
- annotating on a large monitor
- taking inputs from other equipment
- recording and streaming
- interacting on 2 monitors to 2 projections
- adding a document camera
- using integral room control
- adapting audio to the location
- assuring ADA/DDA compliant access



ILS24, Closed RAL9006/9007 coated.


## Configurations : 2 principles:

1. ILS16/ILS18/ILS24 are working right out of the box as delivered from ILS
2. Self-integrated/adapted to client specifications by professional AV integration companies.


The basic configurations HX and HX12 are modular and flexible to add later components and upgrades to be field-installed, incl. the main interaction monitor, control and switching systems, audio components and PC [’s].

Damaged outside parts can be unscrewed and repaired or replaced.

Basic Specifications	ILS16HX	ILS18HX	ILS24HX
Stylish thick aluminum covered cabinet with side doors and drawer on 1-2 front rollers			
Footprint	42 x 71 cm	42 x 71 cm	66 x 77cm
Span (when open)	131 cm	162 cm	168 +33 cm
Rack space/internal depth	9 + 2RU's / 39 cm	9 + 2RU's / 39 cm	11RU's /65 cm
Monitor size	16 "W, 17", 19"W	22"W – 24"W	17" + 22"W
Microphone sockets	1-2	1-2	1-2 + light
Cable cubby 6 cables / power socket	yes	yes	yes
Locking system	key-lock top/user door	key-lock top/user door	RFID reader/EM locks
Control system	optional	optional	6 buttons
Cover system	folds over	folds over	slides out
Monitor angle/height adjust	manual/manual	manual/manual	manual/optional
Optional HX12 version adds 12" touch monitor 1280x800 resolution in right slide out table and adds 4 USB hub and for ILS24 electrical monitor lift adjustment, essential for pen monitor			
Out of the box Education	ILS16HE	ILS18HE	ILS24HE
Wide screen interactive monitor	19" / 1440 x 900	22"/1680x1050	22"/1920x1080
Education control system: including both button controls and control from the monitor. Provides for 3 VGA + 3 video input source switching, scaling, IR, digital IO and relays and serial i/f			
	ILS16HF	ILS18HF	ILS24HF
Choice of 120Watt 6 channel input mixer/amplifier or 2x 100Watt stereo amplifier			
Gooseneck microphone on shock-mount XLR foot.			
State of the art PC to support the interaction on the local level. (Typical HP/DELL SFF PC)			
Localized 84 button keyboard			
Sho-Q Interactive presentation and annotation software with seamless controls			



Add large side table to the ILS 24



Add Wolfvision visualizer + AMX12" drawer



ILS24HF

### ILS24

- Rotate touch panel
- pull out microphone
- fold down drawer cover
- ADA/DDA compliance



Add custom engraved logo



ILS16 HE

- presenter side
- audience side
- dimensions



ILS18 wider top

### Customization Options:

- Integration of higher quality interactive monitors, such as WACOM PL720, SMART SP518 for ILS16 or SMART SP524, Crestron V24R-C, HP TouchSmart 23", for ILS18 and WACOM PL2200, ACER 241H 23" on ILS24
- Expand the controller with true matrix switching 8 inputs/4 outputs including digital outputs.
- 7 – 10" tablet PC control capability from iPad or Android
- Add a 5MP visualizer
- Add logo
- Expand audio with wireless systems
- Add ILS24 extra large side table
- Add capture recording/streaming systems controlled from the 12" touch side panel



Sculptured aluminum top



visit [www.intelligentlecterns.com](http://www.intelligentlecterns.com) for pillar and teacher desk solutions

Impress your students, deliver your lectures with ease ...



... using ILS podiums and the sho-Q interactive lecture suite software !

find out more at  
[www.intelligentlecterns.com](http://www.intelligentlecterns.com)

Intelligent Lectern Systems bv.  
Assen, Netherlands  
+31 20 2400 232